### GENERAL INSTRUCTIONS FOR "GUN FIGHT"

#### INSTALLATION:

- A. The power is controlled by a switch located on top of the cabinet. Plug into A.C. only, 115 volts, 60 cycles. In low line areas, (100 volts or less) a boost in the output voltage of the transformer may be achieved, by removing the wire from the 115 volt tap of the transformer, and rewiring to the 105 volt position.
- B. In event the game is tilted or the line cord is removed, any credits accumulated will be reset to zero.

#### COIN-TIME ADJUSTMENT SWITCH:

Located on Game Logic Board (P.C. 507-907) and may be adjusted as indicated on separate instructions located in back-box area.

## VOLTAGE CONTROL POTS:


Located on Power Supply Board (P.C. 80-901) and may be adjusted by rotating pot as indicated on separate instructions located in back-box area.


# VOLUME CONTROL POTS:

Located on Game Logic Board (P.C. 597-907) and may be adjusted by rotating pot as indicated on separate instructions located in back-box area.


CAUTION -All electronic devices mounted on Logic Unit may be destroyed when subjected to electrostatic charges. Personnel and tools must be properly grounded when handling this unit.

MIDWAY MFG. CO. 10750 W. GRAND AVE. FRANKLIN PARK, ILL. 60131





- A In Increase 45V Rotate Clockwise
- B To Increase +12V Rotate Clockwise
- C To Increase -5V Rotate Clockwise.



\* This pot is used only if I.C. 3235 is used at location C5 of Mother Board. (P.C. 80-900)

NOTE: Clarkwise is defined as viewed from Pot face,

- A. Left Player scores Bit volume. To increase volume rotate pot as indicated.
- B, Right Player scores Hit volume To increase volume rotate pot as indicated
- C. Lett Player shot volume. To increase rotate pot as indicated.
- h. Right Player shot volume. To increase rotate not as indicated.
- U. Left Player Master volume. To increase rotate pot as indicated.
- F. Right Player Master volume. To increase rotate pot as Indicated.

### CAUTIOH:

This unit is shipped with two different Came Logic Boards (P.C. 597-907B & P.C. 597-907C)

The Soin Time Switch adjusts differently on each board.

The adjusting information for each system follows.